

FLEXIBLE COPOLYMER LOCK-ARM SHIELDS (Pages 51-54)

These flexible lock-arm shields are made of black, premium-grade copolymer that is resistant to coolants and most common chemicals. The modular, segmented arm rotates 360 degrees which provides unlimited adjustment possibilities, and locks in place! These flexible lock-arms are offered in standard sizes of 12", 18", and 24".

The shield can be used on lathes, drill presses, milling machines, grinders, band saws, woodworking machines, and similar equipment. It places a barrier between an operator and flying chips (swarf), sparks, and splashing coolant generated at the point of operation. The transparent portion of these lock-arm shields is constructed of high-impact-resistant, $\frac{3}{16}$ "-thick polycarbonate. Special shield sizes are available up to 12" x 12"; please call our sales department at 1-800-922-7533 for more information.

The flexible lock-arm shields have two mounting options: direct or magnetic. The direct-mount base can be attached directly to a machine with the furnished $\frac{1}{4}$ -20 button-head cap screw. The magnetic base can be attached to any ferrous surface on the machine with the 3"-diameter, **80-lb pull magnet**. If an adequate flat, ferrous mounting surface is not available, an optional steel mounting plate is available that can be permanently attached to the machine to hold the magnetic base.



Flexible copolymer lock-arm shield on drill press.



Flexible copolymer lock-arm shield on milling machine.



Flexible copolymer lock-arm shield on lathe.

(Continued on next page.)



Flexible Copolymer Lock-Arm Shields

Part No.	Description
KYL-253	6" x 8" Flat Shield and 12" Arm With Direct-Mount Base
KYL-254	6" x 8" Flat Shield and 18" Arm With Direct-Mount Base
KYL-255	6" x 8" Flat Shield and 24" Arm With Direct-Mount Base
CSAA-3	6" x 8" Flat Replacement Shield Only




Part No.	Description
KYL-283	6" x 8" Flat Shield and 12" Arm With Magnetic Base
KYL-284	6" x 8" Flat Shield and 18" Arm With Magnetic Base
KYL-285	6" x 8" Flat Shield and 24" Arm With Magnetic Base
CSAA-3	6" x 8" Flat Replacement Shield Only
FKT-1106	Optional 3½" x 4⅝" Steel Mounting Plate (Fasteners Not Included)



Part No.	Description
KYL-259	10" x 12" Flat Shield and 12" Arm With Direct-Mount Base
KYL-260	10" x 12" Flat Shield and 18" Arm With Direct-Mount Base
KYL-261	10" x 12" Flat Shield and 24" Arm With Direct-Mount Base
CSAA-5	10" x 12" Flat Replacement Shield Only



Part No.	Description
KYL-289	10" x 12" Flat Shield and 12" Arm With Magnetic Base
KYL-290	10" x 12" Flat Shield and 18" Arm With Magnetic Base
KYL-291	10" x 12" Flat Shield and 24" Arm With Magnetic Base
CSAA-5	10" x 12" Flat Replacement Shield Only
FKT-1106	Optional 3½" x 4⅝" Steel Mounting Plate (Fasteners Not Included)



(Continued on next page.)

Flexible Copolymer Lock-Arm Shields



Part No.	Description
KYL-262	30° Angle Shield 8" H (7" Front) and 12" Arm With Direct-Mount Base
KYL-263	30° Angle Shield 8" H (7" Front) and 18" Arm With Direct-Mount Base
KYL-264	30° Angle Shield 8" H (7" Front) and 24" Arm With Direct-Mount Base
KYL-012	30° Angle 8" H (7" Front) Replacement Shield Only



Part No.	Description
KYL-292	30° Angle Shield 8" H (7" Front) and 12" Arm With Magnetic Base
KYL-293	30° Angle Shield 8" H (7" Front) and 18" Arm With Magnetic Base
KYL-294	30° Angle Shield 8" H (7" Front) and 24" Arm With Magnetic Base
KYL-012	30° Angle 8" H (7" Front) Replacement Shield Only
FKT-1106	Optional 3½" x 4⅝" Steel Mounting Plate (Fasteners Not Included)



Part No.	Description
KYL-265	30° Angle Shield 9½" H (10⅜" Front) and 12" Arm With Direct-Mount Base
KYL-266	30° Angle Shield 9½" H (10⅜" Front) and 18" Arm With Direct-Mount Base
KYL-267	30° Angle Shield 9½" H (10⅜" Front) and 24" Arm With Direct-Mount Base
KYL-017	30° Angle 9½" H (10⅜" Front) Replacement Shield Only



Part No.	Description
KYL-268	30° & 90° Angle Shield 9½" H (10⅜" Front) and 12" Arm With Direct-Mount Base
KYL-269	30° & 90° Angle Shield 9½" H (10⅜" Front) and 18" Arm With Direct-Mount Base
KYL-270	30° & 90° Angle Shield 9½" H (10⅜" Front) and 24" Arm With Direct-Mount Base
KYL-126	30° & 90° Angle 9½" H (10⅜" Front) Replacement Shield Only



Part No.	Description
KYL-271	90° Angle Shield 9½" H (11" Front) and 12" Arm With Direct-Mount Base
KYL-272	90° Angle Shield 9½" H (11" Front) and 18" Arm With Direct-Mount Base
KYL-273	90° Angle Shield 9½" H (11" Front) and 24" Arm With Direct-Mount Base
KYL-018	90° Angle 9½" H (11" Front) Replacement Shield Only

(Continued on next page.)




Flexible Copolymer Lock-Arm Shields

Part No.	Description
KYL-274	8" x 10" Concave Shield and 12" Arm With Direct-Mount Base
KYL-275	8" x 10" Concave Shield and 18" Arm With Direct-Mount Base
KYL-276	8" x 10" Concave Shield and 24" Arm With Direct-Mount Base
CSAD-2	8" x 10" Concave Replacement Shield Only



Part No.	Description
KYL-295	8" x 10" Concave Shield and 12" Arm With Magnetic Base
KYL-296	8" x 10" Concave Shield and 18" Arm With Magnetic Base
KYL-297	8" x 10" Concave Shield and 24" Arm With Magnetic Base
CSAD-2	8" x 10" Concave Replacement Shield Only
FKT-1106	Optional 3½" x 4⅝" Steel Mounting Plate (Fasteners Not Included)



Part No.	Description
KYL-277	10" x 12" Concave Shield and 12" Arm With Direct-Mount Base
KYL-278	10" x 12" Concave Shield and 18" Arm With Direct-Mount Base
KYL-279	10" x 12" Concave Shield and 24" Arm With Direct-Mount Base
CSAD-3	10" x 12" Concave Replacement Shield Only